

acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name SOLUTHERM(TM) EG HD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Professional use Industrial use

#### 1.3 Details of the supplier of the safety data sheet

Recochem Inc. 8725 Holgate Crescent, Milton Ontario L9T 5G7 Canada

1-800-361-6030 (Monday-Friday, 9 AM to - 5 PM) www.recochem.com

#### 1.4 Emergency telephone number

**Emergency information service** 

This number is only for transport emergencies. POISON CONTROL/ANTIPOISON (24

heures/hours):

Alberta 1-800-332-1414 British Columbia 1-800-567-8911 Manitoba 1-855-776-4766 New Brunswick 911 Newfoundland and Labrador 1-866-727-1110 Northwest Territories 1-800-332-1414 Nova Scotia and Prince Edward Island 1-800-565-8161, 1-800-332-1414 or 911.

Nunavut 1-800-268-9017 Ontario 1-800-268-9017 Quebec 1-800-463-5060 Saskatchewan 1-866-454-1212 Yukon Territory 867-393-8700 United States 1-800-222-1222

#### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

United States: en Page: 1 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### - Pictograms

GHS07, GHS08



- Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling ethylene glycol, sodium nitrite

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

## Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
ethylene glycol	CAS No 107-21-1	≥85	Acute Tox. 4 / H302 STOT RE 2 / H373	
sodium nitrite	CAS No 7632-00-0 71868-10-5	0.43 - < 1	Acute Tox. 3 / H301 Eye Irrit. 2 / H319 Ox. Sol. 3 / H272	
boric acid	CAS No 10043-35-3	0 - < 1	Acute Tox. 4 / H332 Repr. 1B / H360FD	

#### **Remarks**

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret. This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

United States: en Page: 2 / 15

acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

#### 5.2 Special hazards arising from the substance or mixture

none

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

not required

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

United States: en Page: 3 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

There is no additional information.

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials" (Section 10).

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Iden tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	boric acid	10043- 35-3	TLV®		2		6			i	AC- GIH® 2024
US	ethylene glycol	107-21-1	REL							appx- D	NIOS H REL
US	ethylene glycol	107-21-1	TLV®				10			i, aer- osol	AC- GIH® 2024
US	ethylene glycol	107-21-1	PEL (CA)					40	100	vap	Cal/O SHA PEL
US	ethylene glycol	107-21-1	TLV®	25		50				vap	AC- GIH® 2024

<u>Notation</u>

aerosol as aerosols

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

United States: en Page: 4 / 15



## Safety Data Sheet acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Date of compilation: 2025-02-03 Version number: 1.0

#### **Notation**

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

vap

#### Relevant DNELs of components

itelevant Bitzza	Nelevant BN223 of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
ethylene glycol	107-21-1	DNEL	35 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
ethylene glycol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
sodium nitrite	7632-00-0 71868-10-5	DNEL	2 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
sodium nitrite	7632-00-0 71868-10-5	DNEL	2 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects			
boric acid	10043-35-3	DNEL	8.3 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects			
boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			

#### **Relevant PNECs of components**

	Relevante in the soft components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
ethylene glycol	107-21-1	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	200 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	37 <sup>mg</sup> / <sub>kg</sub>	benthic organ- isms	sediment	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	3.7 <sup>mg</sup> / <sub>kg</sub>	pelagic organ- isms	sediment	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	1.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)			
ethylene glycol	107-21-1	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease			
sodium nitrite	7632-00-0 71868-10-5	PNEC	0.005 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)			
sodium nitrite	7632-00-0 71868-10-5	PNEC	0.006 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)			
sodium nitrite	7632-00-0 71868-10-5	PNEC	21 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
sodium nitrite	7632-00-0 71868-10-5	PNEC	0.019 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
sodium nitrite	7632-00-0 71868-10-5	PNEC	0.022 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)			
sodium nitrite	7632-00-0	PNEC	0.001 <sup>mg</sup> /	terrestrial organ-	soil	short-term (single			

United States: en Page: 5 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
	71868-10-5		kg	isms		instance)
boric acid	10043-35-3	PNEC	2.9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
boric acid	10043-35-3	PNEC	2.9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
boric acid	10043-35-3	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
boric acid	10043-35-3	PNEC	5.7 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	liquid
Color	pink
Particle	not relevant (liquid)
Odor	characteristic

United States: en Page: 6 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### Other safety parameters

pH (value)	9.2 – 11 (25 °C)
Melting point/freezing point	-64 – -16 °C
Initial boiling point and boiling range	104 – 116 °C
Flash point	>111 °C
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	0.12 hPa at 25 °C
Density	1 – 1.1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Vapor density	this information is not available

#### Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	398 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

#### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

United States: en Page: 7 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE) Oral 517 mg/kg

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
ethylene glycol	107-21-1	oral	500 <sup>mg</sup> / <sub>kg</sub>
ethylene glycol	107-21-1	dermal	>3,500 <sup>mg</sup> / <sub>kg</sub>
sodium nitrite	7632-00-0 71868-10-5	oral	100 <sup>mg</sup> / <sub>kg</sub>
boric acid	10043-35-3	inhalation: dust/mist	>2.1 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 8 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

<b>14.1 UN number</b> no	t subject to transport regulations
--------------------------	------------------------------------

**14.2 UN proper shipping name** not relevant

14.3 Transport hazard class(es) none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

United States: en Page: 9 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

#### **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations specific for the product in question

**National regulations (United States)** 

**Toxic Substance Control Act (TSCA)** 

all ingredients are listed

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
ethylene glycol	107-21-1		1987-01-01
sodium nitrite	7632-00-0		1995-01-01

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
ethylene glycol	107-21-1		3	5000 (2270)
sodium nitrite	7632-00-0		1	100 (45,4)

#### Legend

- 1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 3 "3" indicates that the source is section 112 of the Clean Air Act

#### **Clean Air Act**

none of the ingredients are listed

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
ethylene glycol	107-21-1	alcohols	CA NLs CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
sodium nitrite	71868-10-5	cleaning agent	EC Annex VI CMRs - Cat. 1B
boric acid	10043-35-3	cleaning agent	EC Annex VI CMRs - Cat. 1B
water	7732-18-5	solvent	

United States: en Page: 10 / 15



## Safety Data Sheet acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

Name of substance	CAS No	Functionality	Authoritative Lists
acrylic terpolymer	not available		

#### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
ethylene glycol	107-21-1				1.0 %
sodium nitrite	7632-00-0				1.0 %

#### - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
ethylene glycol	107-21-1	A	particulate vapor

#### Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

#### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
ethylene glycol	107-21-1		
sodium nitrite	7632-00-0		

#### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
1,2-ETHANEDIOL	107-21-1	E
NITROUS ACID, SODIUM SALT	7632-00-0	E

#### <u>Legend</u>

Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
ethylene glycol	107-21-1	T, F

#### <u>Legend</u>

Flammability (NFPA®) Toxicity (ACGIH®)

United States: en Page: 11 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

#### Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Conc.	Remarks	Type of the toxicity
ethylene glycol (ethanediol)	107-21-1	95 wt%		developmental

#### **VOC** content

Regulated Volatile Organic Compounds (VOC-EPA)
 Regulated Volatile Organic Compounds (VOC-Cal ARB)
 0.0015 %

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	1	irritation or minor reversible injury possible
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazards
Health: health hazard

Personal protection: personal protective equipment (PPE) for normal use

Physical hazard: reactivity

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	1	material that, under emergency conditions, can cause significant irritation
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed

United States: en Page: 12 / 15



## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

Country	Inventory	Status
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NDSL Non-domestic Substances List (NDSL)

NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

#### **Additional information**

The contained substances are listed in the following national inventories: TSCA (United States)

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2024	From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement

United States: en Page: 13 / 15



# Safety Data Sheet acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Date of compilation: 2025-02-03 Version number: 1.0

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
Ox. Sol.	Oxidizing solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average

United States: en Page: 14 / 15



acc. to 29 CFR 1910.1200 App D

## **SOLUTHERM(TM) EG HD**

Version number: 1.0 Date of compilation: 2025-02-03

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 15 / 15